




# Shenzhen HSC Electronics Co.,Ltd

## Pharmacy Cross LED Display





## Key Features:

1. Full Color
2. Double-Sided
3. High Brightness
4. Waterproof & IP65 Protection
5. Dynamic & Eye-Catching Contents
6. Low Energy Consumption
7. Easy Installation & Maintenance
8. App Control



All models below is 960\*960mm and double-sided



Model: P5

Resolution: 192\*192 Pixel

Model: P8

Resolution: 120\*120 Pixel

Model: P10

Resolution: 96\*96 Pixel



Model: P6

Size: 768\*768mm

Double-Sided

Resolution: 128\*128 Pixel



Specifications:

Model name	PL5	PL6	PL8	PL10
Pixel Pitch (mm)	5mm	6mm	8mm	10mm
Pixel Density (dot/m <sup>2</sup> )	40,00	27,777	15,625	10,000
LED Type	SMD1921	SMD2727	SMD3535	SMD3535
Module Size (mm)	320×160	320×160	320×160	320×160
Horizontal Viewing Angle	140	140	140	140
Vertical Viewing Angle (Deg)	140	140	140	140
Brightness (nit)	6000	6000	6000	7500
Grey Scale	16 bit	16 bit	16 bit	16 bit
Refresh Rate (Hz)	≥1920	≥1920	≥1920	≥1920
Maximum Power Consumption	800	720	850	900
Average Power Consumption	240	240	280	300
Cabinet Size(mm)	960×960	960×960	960×960	960×960
Scan	1/8 Scan	1/8 Scan	1/5 Scan	1/2 Scan
Input Voltage (V)	110-220V	110-220V	110-220V	110-220V
Waterproof Level	IP65	IP65	IP65	IP65
Application	Outdoor	Outdoor	Outdoor	Outdoor